



- 371 **Improved Method for Determination of High-Density-Lipoprotein Cholesterol I. Isolation of High-Density Lipoproteins by Use of Polyethylene Glycol 6000**
Crescenzo Izzo, Franco Grillo, and Enzo Murador
- 375 **Improved Method for Determination of High-Density-Lipoprotein Cholesterol II. Enzymic Determination of Cholesterol in High-Density Lipoprotein Fractions with a Sensitive Reagent**
Franco Grillo, Crescenzo Izzo, Giuseppe Mazzotti, and Enzo Murador
- 380 **Enzyme Immunoassay and Enzyme Inhibition Assay of Methotrexate, with Use of the Centrifugal Analyzer**
Michael A. Pesce and Selma H. Bodourian
- 385 **New Approach to Cystic Fibrosis Diagnosis by Use of an Improved Sweat-Induction/Collection System and Osmometry**
H. Lewis Webster and Wayne K. Barlow
- 388 **Fluorescent Spot Test for Detecting Carbohydrate-Splitting Enzymes in Meconium**
Monica C. Hsieh
- 391 **Laser Doppler Velocimetry vs Heater Power as Indicators of Skin Perfusion during Transcutaneous O₂ Monitoring**
Louis Enkema, Jr., G. Allen Holloway, Jr., Daniel W. Piraino, David Harry, Gregory L. Zick, and Margaret A. Kenny
- 397 **Liquid-Chromatographic Analysis for Urinary Porphyrins**
Roddey E. Ford, Chin-Nan Ou, and Ralph D. Eilefson
- 402 **Activation of Human Creatine Kinase Isoenzymes by pH and Various Sulfhydryl and Chelating Agents**
Daniel A. Nealon, Sabina M. Pettit, and Arthur R. Henderson
- 405 **Rate-Nephelometric Inhibition Immunoassay of Phenytoin and Phenobarbital**
Paul R. Finley, Judy A. Dye, R. Jane Williams, and Donald A. Lichti
- 410 **New Method for Determining Lecithin and Sphingomyelin in Amniotic Fluid**
Lester J. McDonald, Noel I. Robin, and Lewis Siegel
- 417 **Gas-Chromatographic Assay of Free Phenytoin in Ultrafiltrates of Plasma: Test of a New Filtration Apparatus and Specimen Stability**
William A. Joern
- 422 **Improved Determination of D-Glucaric Acid in Urine**
Klaus Jung, Dietmar Scholz, and Gottfried Schreiber
- 427 **Continuous-Flow Serum Albumin Determination by Reaction with Picrate Ions, with Use of a Flow-Through Picrate Ion Electrode**
E. P. Diamandis, D. S. Papastathopoulos, and T. P. Hadjiioannou
- 431 **Enzymic Determination of Branched-Chain Amino Acids**
H.-J. Rudolph, K.-D. Gerbitz, G. Michal, and O. H. Wieland
- 434 **Rapid Liquid-Chromatographic Determination of Metformin in Plasma and Urine**
Bruce G. Charles, Noel W. Jacobsen, and Peter J. Ravenscroft
- 437 **Liquid-Chromatographic Determination of 4-Aminopyridine in Serum, Saliva, and Urine**

- Donald R. A. Uges and Piet Bouma
- 441 **Fluorometric Liquid-Chromatographic Determination of Serum Cortisol**
George R. Gotelli, Jeffrey H. Wall, Polar M. Kabra, and Laurence J. Marton
- 444 **Analysis for 1,25-Dihydroxyvitamin D in Human Plasma, after a Liquid-Chromatographic Purification Procedure, with a Modified Competitive Protein-Binding Assay**
Mat J. M. Jongen, Wim J. F. van der Vijgh, Huub J. J. Willems, and J. Coen Netelenbos
- 451 **Relation of Age to Isoenzyme Pattern and Total Activity of Amylase in Serum**
P. J. Bossuyt, R. Van den Bogaert, S. L. Scharpé, and Y. Van Maercke
- 455 **Kinetic Potentiometric Determination of Creatinine in Serum with a Picrate Ion-Selective Membrane Electrode**
E. P. Diamandis and T. P. Hadjiioannou
- 458 **A Modified Radioimmunoassay for 1,25-Dihydroxycholecalciferol**
T. K. Gray, T. McAdoo, D. Pool, G. E. Lester, M. E. Williams, and G. Jones

SCIENTIFIC NOTES

- 464 **Colorimetric Determination of Serum 5'-Nucleotidase without Deproteinization**
Raymond John Wood and David Gwynne Williams
- 466 **The Worthington "Ultrafree" Device Evaluated for Determination of Ultrafiltrable Calcium in Serum**
John Toffaletti, Dale Tompkins, and Gail Hoff
- 468 **An Optically Clear Hypercholesterolemic Hypertriglyceridemic Quality-Control Material Prepared from Animal Lipid Sources**
Gary J. Proksch and Dean P. Bonderman
- 472 **Agar Gel Electrophoretic Determination of Glycosylated Hemoglobin: Effect of Variant Hemoglobins, Hyperlipidemia, and Temperature**
H. Aleyassine, R. J. Gardiner, L. A. Blankstein, and M. E. Dempsey
- 476 **Measurement of Hemoglobin A₁ by Liquid Chromatography and by Agar Gel Electrophoresis Compared**
Ellen J. Hayes, Ray E. Gleason, J. Stuart Soeldner, Marilyn Wacks, and Larry Blankstein
- 480 **Extended Clinical Trial and Evaluation of Urea Nitrogen Determination with the Ektachem GLU/BUN Analyzer**
Zoltan L. Bandi, John B. Fuller, David E. Bee, and Gordon P. James
- 486 **Clinical Laboratory Determination of Phosphatidylglycerol: One- and Two-Dimensional Chromatography Compared**
Thomas L. Gross, Margaret V. Wilson, Paul M. Kuhnert, and Robert J. Sokol
- 490 **Low Results for Inorganic Phosphorus with the SMAC Continuous-Flow Analyzer**
E. Arthur Robertson, Ronald J. Elin, and Ernestine Johnson

PROPOSED SELECTED METHOD

- 493 **A Multi-Rule Shewhart Chart for Quality Control in Clinical Chemistry**
James O. Westgard, Patricia L. Barry, Marian R. Hunt, and Torgny Groth

LETTERS

- 502 **Age-Dependence of Immunoreactive Trypsin Concentrations in Serum**
Horst D. Koehn and Adolf Mostbeck
- 502 **Liquid-Chromatographic Analysis for Urinary 4-Hydroxy-3-Methoxymandelic Acid and 4-Hydroxy-3-Methoxyphenylacetic Acid, and Its Use in Investigation of Neural Crest Tumors**
Steven J. Soldin and J. Gilbert Hill
- 503 **Normal Range for the Third Component of Complement by Solid-Phase Immunofluorescence**
Millie K. Fleetwood, Barbara A. Maier, and Sandra H. Lewis
- 504 **Clinical Evaluation of Two Thyrotropin Radioimmunoassay Kits: Human Serum Matrix Calibrators and Bovine Serum Matrix Calibrators**
Norman P. Kubasik, Margaret Ricotta, Teri Hunter, and H. E. Sine
- 505 **Evaluation of a New Ferritin Radioimmunoassay Kit**
Norman P. Kubasik, Margaret Ricotta, Teri Hunter, and H. E. Sine
- 505 **Diluent pH and the Stability of the Thiol Group in Monothiolglycerol, N-Acetyl-L-Cysteine, and 2-Mercaptoethanol**
D. A. Nealon, S. M. Pettit, and A. R. Henderson
- 506 **Nafcillin May Cause a Subtle Pseudoproteinuria**
Melvin R. Glick, Martin B. Kleiman, Wells R. Moorehead, Tijen O. Oei, and Sharon P. Andreoli
- 507 **Official Caution on CEA Assay**
William C. Dierksheide
- 508 **Improved Reliability of the Liquid Chromatography-Electrochemical Detection Assay Technique for Measuring Plasma Epinephrine**
David S. Goldstein and Giora Feverstein
- 508 **Error in Reporting Unsaturated Iron-Binding Capacity of Serum**
E. J. Zapolski
(Reply)
Dennis Shapcott, Christian Fisch, and Yves Poulin
- 509 **New PDP-8A Computer Program (DATAIO) for Handling Data from Automated Systems**
David G. Rhoads
- 509 **Urinary Steroid Metabolite Analysis: Potential for Renaissance**
C. H. L. Shackleton
- 511 **Acetic Acid Interference with Determination of 5-Hydroxyindoleacetic Acid Obviated**
Robert M. Johnson
- 511 **Use of Glass Beads to Defibrinate Serum in "Microtainers"**
Lynn Orlowitz and F. Hines Bostwick
- 512 **Simple Automated System for Continuous-Flow Determination of Glycerol**
P. Schwandt, W. O. Richter, and N. Kriegisch
- 513 **Liquid Chromatography of Anticonvulsants in an Inappropriately Drawn (Lipemic) Serum Sample**
Alice M. Conlan, Kenneth J. Tabor, and Lawrence J. Lesko

BOOK REVIEWS

- Robert C. Elser, Wendell T. Caraway, William H. Fishman, Elliot S. Vesell, and Arthur J. McBay

THE CLINICAL CHEMIST

J. Stanton King