

EDITORIALS

Drug Metabolites and
Immunoassays. *M. H. Gault* 1863

Setting Quality Standards in Clinical
Chemistry: Can Competing Models
Based on Analytical, Biological, and
Clinical Outcomes Be Harmonized?
*Per Hyltoft Petersen, Callum G.
Fraser* 1865

REVIEW

Free Light Chains of
Immunoglobulins: Clinical
Laboratory Analysis. *Stanley S.
Levinson, David F. Keren* 1869

ARTICLES

Molecular Pathology

Tiglylglycine Excreted in Urine in
Disorders of Isoleucine Metabolism
and the Respiratory Chain Measured
by Stable Isotope Dilution GC-MS.
*Michael J. Bennett, Susan Powell,
Daniel J. Swartling, K. Michael
Gibson* 1879

Complex Pattern of Alternative
Splicing in the Normal
Uroporphyrinogen Decarboxylase
Gene: Implications for Diagnosis of
Familial Porphyria Cutanea Tarda.
*Julie F. McManus, C. Glenn Begley,
Sujiva Ratnaike* 1884

Semiautomated Detection of Human
Papillomavirus DNA of High and
Low Oncogenic Potential in Cervical
Smears. *George Terry, Linda Ho,
Anne Szarewski, Jack Cuzick* 1890

Immunoassay with Recombinant
Trypanosoma cruzi Antigens
Potentially Useful for Screening
Donated Blood and Diagnosing
Chagas Disease. *Ana C. Pastini,
Sergio R. Iglesias, Valentina C.
Carricarte, Marcelo E. Guerin,
Daniel O. Sánchez, Alberto C.
Frasch* 1893

Drug Monitoring and Toxicology

Digoxin Immunoassay with
Cross-Reactivity of Digoxin
Metabolites Proportional to Their
Biological Activity. *James J. Miller,
Rudolph W. Straub, Jr., Roland
Valdes, Jr.* 1898

Felbamate Measured in Serum by
Two Methods: HPLC and Capillary
Electrophoresis. *Zakariya K. Shihabi,
Karen S. Oles* 1904

Laboratory Management and Utilization

Allowable Imprecision for Laboratory
Tests Based on Clinical and
Analytical Test Outcome Criteria.
*James O. Westgard, Julie J. Seehafer,
Patricia L. Barry* 1909

Lipids and Lipoproteins

Measurement of Apolipoproteins A-I
and B During the National Health
and Nutrition Examination Survey
(NHANES) III. *Paul S. Bachorik,
Kathleen L. Lovejoy, Margaret D.
Carroll, Clifford L. Johnson,
John J. Albers, Santica M.
Marcovina* 1915

Automation and Analytical Techniques

Serum Cystatin C, Determined by a
Rapid, Automated Particle-Enhanced
Turbidimetric Method, Is a Better
Marker than Serum Creatinine for
Glomerular Filtration Rate. *Jan
Kyhse-Andersen, Camilla Schmidt,
Gunnar Nordin, Britta Andersson,
Peter Nilsson-Ehle, Veronica
Lindström, Anders Grubb* 1921

Semiportable Electrochemical
Instrument for Determining Carbon
Monoxide in Breath. *Hendrik J.
Vreman, David K. Stevenson,
William Oh, Avroy A. Fanaroff,
Linda L. Wright, James A. Lemons,
Elizabeth Wright, Seetha Shankaran,
Jon E. Tyson, Sheldon B. Korones,
Charles R. Bauer, Barbara J. Stoll,
Lu-Ann Papile, Edward F. Donovan,
Richard A. Ehrenkranz* 1927

General Clinical Chemistry

Bilirubin Production in Healthy
Term Infants as Measured by Carbon
Monoxide in Breath. *David K.
Stevenson, Hendrik J. Vreman,
William Oh, Avroy A. Fanaroff,
Linda L. Wright, James A. Lemons,
Joel Verter, Seetha Shankaran, John
E. Tyson, Sheldon B. Korones,
Charles R. Bauer, Barbara J. Stoll,
Lu-Ann Papile, Felix Okah, Richard
A. Ehrenkranz* 1934

Endocrinology and Metabolism

Endogenous Serum Antibodies That
Interfere with a Common Thyroid
Hormone Uptake Assay:
Characterization and Prevalence.
*Detlef Ritter, Wayne Brown, Moon H.
Nahm, Jack H. Ladenson, Mitchell G.
Scott* 1940

Four Rapid Serum-Urine
Combination Assays of
Choriogonadotropin (hCG) Compared
and Assessed for Their Utility in
Quantitative Determinations of hCG.
*Suhu H. Mishalani, Judith Seliktar,
Glenn D. Braunstein* 1944

Chemistry of the Fructosamine Assay: D-Glucosone Is the Product of Oxidation of Amadori Compounds. *John R. Baker, David V. Zyzak, Suzanne R. Thorpe, John W. Baynes* 1950

Systematic Differences Between Commercial Immunassays for Free Thyroxine and Free Triiodothyronine in an External Quality Assessment Program. *Gian Carlo Zucchelli, Alessandro Pilo, Maria Rosa Chiesa, Silvano Masini* 1956

Coagulation

Evaluation of Preanalytical Variables Associated with Measurement of Prothrombin Fragment 1.2. *Charles S. Greenberg, Marcie J. Hursting, B. Gail Macik, Thomas L. Ortel, William H. Kane, Bryant M. Moore* 1962

CORRECTION

B. Marie, M.-J. Cals, C. De Jaeger, W. Lowenstein, H. Durand, and O. G. Ekindjian, 1994;40:1779-81. 1969

TECHNICAL BRIEFS

Chemiluminescent Enzyme Immunoassay of Prostate-Specific Antigen Based on Indoxyl Phosphate Substrate. *Steffen Albrecht, Herbert Brandl, Marina Steinke, Thielo Freidt* 1970

Measurement of Oxygen Saturation by Multiwavelength Analyzer Influenced by Interspecies Differences. *Roel Nijland, Biny Ringnalda, Henk W. Jongsma, Berend Oeseburg, Willem G. Zijlstra* 1971

CASE REPORT

Association of Pancreatic Adenocarcinoma, Mild Lung Disease, and $\Delta F508$ Mutation in a Cystic Fibrosis Patient. *Gregory J. Tsongalis, George Faber, Frederic G. Dalldorf, Kenneth J. Friedman, Lawrence M. Silverman, James R. Yankaskas* 1972

LETTERS TO THE EDITOR

Lipoprotein(a) in Cerebrospinal Fluid Measured by Highly Sensitive Time-Resolved Immunofluorometric Assay. *Olivier Gaillard, Dominique Meillet, Annie Gervais, Jacques Delattre, Jeanne Galli, Edmond Schuller* 1975

Falsely High Concentration of Serum Lutropin Measured with the Abbott IMx. *Maureen Sampson, Mark Ruddel, Mark Zweig, Ronald J. Elin* 1976

Digitoxin Antibody Cross-Reactivity and Evaluation of Potential Candidates for Circulating Digitalis-Like Immunoreactive Factor. *Steven W. Graves, Shojiro Naomi, Gordon H. Williams, Norman K. Hollenberg* 1977

Determination of Serum Glucose Concentration by a Candidate Definitive Method. *Fulvio Magni, Rita Paroni, Pierangelo Bonini, Marzia Galli Kienle* 1978

Response: *Dietmar Stöckl, Linda M. Thienpont* 1979

Serum Concentrations of Basic Fibroblast Growth Factor in Breast Cancer. *Yoshifumi Takei, Masayuki Kurobe, Atsushi Uchida, Kyozo Hayashi* 1980

Detection of Polymorphisms and Mutations in the Porphobilinogen Deaminase Gene by Nonisotopic SSCP. *William E. Schreiber, Camille Rozon, Fenton Fong, Azim Jamani* 1982

Androgens Useful for Diagnosing Pancreatic Cancer? *Giuseppe Banfi, Alessandro Zerbi, Rita Daverio, Stefano Pastori, Danilo Parolini* 1983

Specificity Problems with Hitachi Chloride Electrodes. *Andrew Fudge, Brad Rumbelow, Michael Peake* 1985

Additional Strategies for Improving Sensitivity and Reliability of Immunoassay. *Robert M. Carter, George G. Guilbault, Glenn J. Lubrano, Mary B. Jacobs* 1986

Is Bilirubin Protective Against Coronary Artery Disease? *Lars H. Breimer, Kostas Spyropoulos, Anthony F. Winder, Dimitri P. Mikhailidis, George Hamilton* 1987

Standardization and Iron Assays. *Bert G. Blijenberg, Henk G. van Eijk* 1988

Response: *John H. Eckfeldt* 1988

BOOK REVIEWS

Therapeutic Drug Monitoring and Clinical Biochemistry. *Mike Hallworth, Nigel Capps*

Book Reviewer: *Ingo S. Kampa* 1989

Handbook of Capillary Electrophoresis. *James P. Landers*

Book Reviewer: *Fram R. Dalal* 1989

THE CLINICAL CHEMIST

Compiled by *David E. Bruns* 1990