

Contents

Volume 52, Number 11

EDITORIAL

- Melting of the Ribosomal RNA Gene Reveals Bacterial Species Identity: A Step toward a New Rapid Test in Clinical Microbiology.** U. Reischl 1985

ARTICLES

MOLECULAR DIAGNOSTICS AND GENETICS

- Targeted Gene-Expression Analysis by Genome-Controlled Reverse Transcription-PCR.** J. Stenman, A. Paju, O. Rissanen, T. Tenkanen, C. Haglund, J. Räsänen, J. Salo, U.-H. Stenman, and A. Orpana 1988
- Rapid Detection and Identification of Clinically Important Bacteria by High-Resolution Melting Analysis after Broad-Range Ribosomal RNA Real-Time PCR.** J.-C. Cheng, C.-L. Huang, C.-C. Lin, C.-C. Chen, Y.-C. Chang, S.-S. Chang, and C.-P. Tseng 1997
- Detection of Exon Deletions within an Entire Gene (*CFTR*) by Relative Quantification on the LightCycler.** M. Schneider, F. Joncourt, J. Sanz, T. von Känel, and S. Gallati 2005
- Use of Routinely Collected Amniotic Fluid for Whole-Genome Expression Analysis of Polygenic Disorders.** G.R. Nagy, B. Györfy, O. Galamb, B. Molnár, B. Nagy, and Z. Papp 2013
- Association of Adiponectin Gene Variations with Risk of Incident Myocardial Infarction and Ischemic Stroke: A Nested Case-Control Study.** H.H. Hegener, I-M. Lee, N.R. Cook, P.M. Ridker, and R.Y.L. Zee 2021

EVIDENCE-BASED LABORATORY MEDICINE AND TEST UTILIZATION

- Health Outcomes Categorized by Current and Previous Definitions of Acute Myocardial Infarction in an Unselected Cohort of Troponin-Naïve Emergency Department Patients.** P.A. Kavsak, A.R. MacRae, G.E. Palomaki, A.M. Newman, D.T. Ko, V. Lustig, J.V. Tu, and A.S. Jaffe 2028

LIPIDS, LIPOPROTEINS, AND CARDIOVASCULAR RISK FACTORS

- Inhibitory Effects of Micronized Fenofibrate on Carotid Atherosclerosis in Patients with Essential Hypertension.** S. Zhu, G. Su, and Q.H. Meng 2036
- Lipoprotein(a) in the Cerebrospinal Fluid of Neurological Patients with Blood-Cerebrospinal Fluid Barrier Dysfunction.** G. Pepe, G. Chimienti, G.M. Liuzzi, B.L. Lamanuzzi, M. Nardulli, F. Lolli, E. Anglés-Cano, and S. Matà 2043
- Component Analysis of HPLC Profiles of Unique Lipoprotein Subclass Cholesterols for Detection of Coronary Artery Disease.** M. Okazaki, S. Usui, A. Fukui, I. Kubota, and H. Tomoike 2049
- Factors Affecting S-Homocysteinylation of LDL Apoprotein B.** A. Zinellu, E. Zinellu, S. Sotgia, M. Formato, G.M. Cherchi, L. Deiana, and C. Carru 2054

Clinical Chemistry (ISSN 0009-9147) is published monthly by the American Association for Clinical Chemistry, 1850 K Street, Suite 625, Washington, DC 20006. New subscriptions, renewals, changes of address, back issues, and all customer service questions should be addressed to: AACC, Subscription Department, 1850 K Street, Suite 625, Washington, DC 20006. Telephone (202) 857-0717 or 1 (800) 892-1400; fax (202) 887-5093; e-mail custserv@aacc.org. Subscription rates: Institutional subscription USA \$866, elsewhere \$999. Individual subscription USA \$261, elsewhere \$406. Airmail outside USA is an additional \$250. Individual subscriptions are for personal use and not to be used in a library. Periodicals postage paid at Washington, DC and at additional mailing offices. Postmaster: Send address changes to Clinical Chemistry, 1850 K Street, Suite 625, Washington, DC 20006. Copyright © 2006 The American Association for Clinical Chemistry.

ENDOCRINOLOGY AND METABOLISM

- Measurement of Urinary Metanephrines to Screen for Pheochromocytoma in an Unselected Hospital Referral Population.** K.L. Brain, J. Kay, and B. Shine 2060

AUTOMATION AND ANALYTICAL TECHNIQUES

- Rapid, Simple, and Sensitive Immunoagglutination Assay with SiO₂ Particles and Quartz Crystal Microbalance for Quantifying *Schistosoma japonicum* Antibodies.** H. Wang, Y. Zhang, B. Yan, L. Liu, S. Wang, G. Shen, and R. Yu 2065

LABORATORY MANAGEMENT

- Improvement of Technical and Analytical Performance in DNA Sequencing by External Quality Assessment-Based Molecular Training.** A. Dorn-Beineke, P. Ahmad-Nejad, U. Pfeiffer, S. Ramsden, M. Pazzagli, and M. Neumaier 2072

GENERAL CLINICAL CHEMISTRY

- Circulating Proteasomes Are Functional and Have a Subtype Pattern Distinct from 20S Proteasomes in Major Blood Cells.** A. Zoeger, M. Blau, K. Egerer, E. Feist, and B. Dahlmann 2079

- Reproducibility of Risk Figures in 2nd-Trimester Maternal Serum Screening for Down Syndrome: Comparison of 2 Laboratories.** P.A. Benn, G.S. Makowski, J.F.X. Egan, and D. Wright 2087

PEDIATRIC CLINICAL CHEMISTRY

- Adiponectin and Leptin in Maternal Serum, Cord Blood, and Breast Milk.** M. Weyermann, C. Beermann, H. Brenner, and D. Rothenbacher 2095

TECHNICAL BRIEFS

-
- Direct-Tissue SELDI-TOF Mass Spectrometry Analysis: A New Application for Clinical Proteomics.** A. Bouamrani, J. Ternier, D. Ratel, A.-L. Benabid, J.-P. Issartel, E. Brambilla, and F. Berger 2103

CASE REPORT

-
- Markedly Increased Vitamin B₁₂ Concentrations Attributable to IgG-IgM-Vitamin B₁₂ Immune Complexes.** R.A.R. Bowen, S.K. Drake, R. Vanjani, E.D. Huey, J. Grafman, and M.K. Horne III 2107

LETTERS TO THE EDITOR

-
- Surface-Enhanced Laser Desorption Ionization/Time-of-Flight Mass Spectrometry Reveals Significant Artifacts in Serum Obtained from Clot Activator-Containing Collection Devices.** R. Pilny, P. Bouchal, S. Borilova, P. Ceskova, J. Zaloudik, R. Vyzula, B. Vojtesek and, D. Valik 2115

- Equimolar Ammonia Interference in Potassium Measurement on the Osmetech OPTI CCA: A Reply.** C. Lin and J.K. Tusa 2116

- Preparation of Uric Acid Standard Stock Solution.** D. Xinhua 2117

- Plasma Aldosterone: Comparison of a New Automated Assay with a Standard Extraction Method.** D. Hartman, T.W. Doulton, C.A. Chesters, G.A. Sagnella, and G.A. MacGregor 2118

- More on Reporting Medical Errors.** J.S. Krouwer 2120

- Evaluation of the Efficacy of Chloroform Extraction of Amniotic Fluid Bilirubin.** J.A. Bornhorst, R. Cousin, A.T. Pili, J.A. Erickson, and E.R. Ashwood 2120

Contents

Volume 52, Number 11

Cell-Free DNA Is More Sensitive than Cell-Free mRNA as a Marker for Evaluation of Fetal-Maternal Hemorrhage. K. Miura, K. Yoshiura, S. Miura, K. Yamasaki, D. Nakayama, T. Ishimaru, J. Wagstaff, N. Niikawa, and H. Masuzaki	2121
Choline Concentration in Normal Blood Donor and Cardiac Troponin-Positive Plasma Samples. M. Adamczyk, R.J. Brashear, and P.G. Mattingly	2123
Laboratory Reporting of 25-Hydroxyvitamin D Results: Potential for Clinical Misinterpretation. N. Binkley, M.K. Drezner, and B.W. Hollis	2124
Falsely Low LDL Cholesterol Results and Cholestasis. C. Garcia-Hejl, P. Vest, C. Renard, A. Merens-Gonthier, A. Boukhira, and H. Thefenne-Astier	2125
Reliability of Thrombin Generation Assay on Frozen-Thawed Platelet-Rich Plasma: A Reply. N. Hézard, M.-G. Remy, B. Florent, and P. Nguyen	2127

OAK RIDGE CONFERENCE

Electron Spin Resonance Spectroscopy of Serum Albumin: A Novel New Test for Cancer Diagnosis and Monitoring. S.C. Kazmierczak, A. Gurachevsky, G. Matthes, and V. Muravsky	2129
High-Speed Interferometric Detection of Label-Free Immunoassays on the Biological Compact Disc. M. Zhao, D. Nolte, W. Cho, F. Regnier, M. Varma, G. Lawrence, and J. Pasqua	2135
Chip Electrophoresis as a Method for Quantifying Total Microalbuminuria. O.T.M. Chan and D.A. Herold	2141

ABSTRACTS OF OAK RIDGE POSTERS

DNA-Programmed Chemistry in Rapid Homogeneous Assays for DNA and Protein Targets. L.A. Haff, C.G.M. Wilson, Y. Huang, B.K. Benton, J.F. Bond, A.M. Stern, R.F. Begley, and J.M. Coull	2147
Real-Time Label-Free Acoustic Technology for Rapid Detection of <i>Escherichia coli</i> O157:H7. L. Huang and M.A. Cooper	2148
An Innovative, Flow-Assisted, Noncompetitive Chemiluminescent Immunoassay for the Detection of Pathogenic Bacteria. M. Magliulo, B. Roda, A. Zattoni, E. Michelini, M. Luciani, R. Lelli, P. Reschiglian, and A. Roda	2151
Application of Liquid Chromatography–Mass Spectrometry Technology for Early Detection of Microalbuminuria in Patients with Kidney Disease. N. Babic, T.S. Larson, S.K. Grebe, S.T. Turner, R. Kumar, and R.J. Singh	2155
Development and Preliminary Clinical Validation of a High Sensitivity Assay for Cardiac Troponin Using a Capillary Flow (Single Molecule) Fluorescence Detector. A.H.B. Wu, N. Fukushima, R. Puskas, J. Todd, and P. Goix	2157
A Systematic Method for Selection of Promising Serum Protein Biomarkers to Improve Prostate Cancer (PCa¹) Detection. J.A. Finlay, E.W. Klee, C. McDonald, J.R. Attewell, D. Hebrink, R. Dyer, B. Love, G. Vasmatzis, T.M. Li, J.M. Beecham, and G.G. Klee	2159
Bioinformatics Methods for Prioritizing Serum Biomarker Candidates. E.W. Klee, J.A. Finlay, C. McDonald, J.R. Attewell, D. Hebrink, R. Dyer, B. Love, G. Vasmatzis, T.M. Li, J.M. Beecham, and G.G. Klee	2162
Representational Fragment Amplification: Exponential Amplification of Fragmented cDNA Enables Multimillion-Fold Expression Testing. G.D. Sgarlato and H.H. Sussman	2164
Diffraction Optics Technology: A Novel Detection Technology for Immunoassays. V. Borisenko, W. Hu, P. Tam, I. Chen, J.-F. Houle, and W. Ausserer	2168

(Continued)

5A

A Magnetic Immunochromatographic Strip Test for Detection of Human Papillomavirus 16 E6.

R.B. Peck, J. Schweizer, B.H. Weigl, C. Somoza, J. Silver, J.W. Sellors, and P.S. Lu

2170

Single-Molecule Detection for Femtomolar Quantification of Proteins in Heterogeneous Immunoassays.

E.A. Nalefski, C.M. D'Antoni, E.P. Ferrell, J.A. Lloyd, H. Qiu, J.L. Harris, and D.H. Whitney

2172

ACCENT®—CONTINUING EDUCATION CREDIT FOR READERS OF *CLINICAL CHEMISTRY*

For more information go to www.aacc.org/ccj/accent/